

03500.017745

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Tan X. Dinh
TOMOYUKI HIROKI	)	
	:	Art Unit: 2627
Appln. No.: 10/725,027	)	
	:	
Filed: December 2, 2003	)	Confirmation No. 2590
	:	
For: MAGNETIC DOMAIN WALL	)	
DISPLACEMENT TYPE MAGNETO-	:	
OPTICAL RECORDING MEDIUM	)	
	:	
U.S. Patent No.: 7,313,055 B2	)	
	:	
Issued: December 25, 2007	)	June 5, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

COLUMN 1

Line 25, "used" should read --in its use--;

Line 48, "NO." should read --No.--;

Line 62, "NO." should read --No.--; and

Line 65, "NO." should read --No.--.

COLUMN 2

Line 19, "NO." should read --No.--;

Line 26, "NO." should read --No.--; and

Line 33, "displacement" should read --displacing--.

COLUMN 13

Line 19, "deteriorate" should read --diminish--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Peter Saxon/

Peter Saxon

Attorney for Patentee

Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200